

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 – USA • 909-472-4100 • 909-472-4244 • www.iapmort.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: June 2017

Void After: June 2018

Product: Shower Pan Liners (PVC)

File No. 3577

Issued To: The Noble Manufacturing Co.
8000 Greenwell Springs Rd
Baton Rouge, LA 70814

Identification: Material complying with ASTM D4551 shall be continuously marked and shall include the following spaced out at intervals of not more than 2 ft. (610mm):
Manufacturer's name (or brand name or trademark), material designation, "Grade 30 or Grade 40", with which the sheet complies, "ASTM D4551" and the UPC® certification mark.

Characteristics: A 30 or 40 mil PVC waterproofing membrane for use as shower pan liners. Available in rolls of various widths and lengths. Sheets are to be joined and installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

NOTE: A layer of standard grade fifteen (15) pound asphalt impregnated roofing felt must be formed to the sub-base prior to installing the 30 mil material. Manufacturer furnished dam corners are required.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 2

Void After: June 2018

Product: Shower Pan Liners (PVC)

File No. 3577

Issued To: The Noble Manufacturing Co.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

International Plumbing Code (IPC®)

Products are in compliance with the following standard(s):

ASTM D4551-2012



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 3

Void After: June 2018

Product: Shower Pan Liners (PVC)

File No. 3577

Issued To: The Noble Manufacturing Co.

MODELS:

Richpan 1040 (Sizes 48", 60", 72" in 50 ft. & 100 ft. lengths)



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 4

Void After: June 2018

Product: Shower Pan Liners (PVC)

File No. 3577

Issued To: The Noble Manufacturing Co.

ADDITIONAL COMPANY INFO:

Dal-Tile Corporation

Model No.

Dal-Pan 30 Grade Blue & Dal-Pan 40 Grade Beige

JB Products

Shower Pan Liner Gray 40 mil

Model No.

Description

JBS1040-540	5'x40' (1.5m x 12.2m) 200 sq. ft.
JBS1040-5100	5'x100' (1.5m x 30.5m) 500 sq. ft.
JBS1040-650	6'x50' (1.8m x 15.2m) 300 sq. ft.
JBS1040-6100	6'x100' (1.8m x 30.5m) 600 sq. ft.